

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	304922	("707" "709" "704" "705").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/19 23:56
S1	7	("6754670" or "20020120603" or "20030055826" "20030163460" "20030208505").pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:18
S2	1	"20020120603"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:18
S3	1	"20030055826"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:17
S4	1	"20030163460"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:16
S5	1	"20030208505"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:16
S6	2	"O/R mapping" and ((translat\$5 or conver \$5) near2 (quer\$3 or data or object) and (relational database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 11:49
S7	2	"5857197".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:45
S8	0	(logical adj1 object adj1 class adj1 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:45
S9	0	("logical object class" near2 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:46

S10	0	("logical object class" near3 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:46
S11	0	(logical near2 "object class" near3 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:46
S12	15	(logical near2 "object class")and format	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:51
S13	565	translat\$4 near3 (data adj1 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:51
S14	2	(translat\$4 near3 (data adj1 format)) and (mapping near2 schema)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:54
S15	0	(translat\$4 near3 ((data adj1 format) with attribute)) and (mapping near2 schema)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:54
S16	0	(translat\$4 near3 ((data adj1 format) with attribute)) and mapping	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:54
S17	1	(translat\$4 near3 ((data adj1 format) with attribute))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:56
S18	2	("first data format") with attribute	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:57
S19	15	((relational adj1 database\$1) near (data adj1 store\$1)) and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:08
S20	10	S19 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:09

S21	0	(determin\$4 near (relational adj1 database) and (data adj1 stores)) and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:13
S22	262	((relational adj1 database) and (data adj1 stores)) and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:13
S23	38	S22 and ((data adj1 stores) near relational)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:14
S24	34	S23 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:15
S25	34	S24 and (LDAP adj1 directory)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:15
S26	32	S25 and (mapping near relational)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:15
S27	0	S26 and ("O/R mapping")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/16 00:16
S28	1	"20050050030"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:07
S29	1	200040153435 20030163461	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:10
S30	3	20040153435 20030163461	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/16 13:11

S31	25	("20040024762" "20020147813" "20020166049" "20020152254" "20020156879" "20020067856" "20020174238") ("6145003" "7107526" "7124354").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 13:07
S32	25	S31 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 13:08
S33	25	("20040024762" "20020147813" "20020166049" "20020152254" "20020156879" "20020067856" "20020174238") ("6145003" "7107526" "7124354").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04 15:04
S34	25	S33 and (@rlad < "20021009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 15:04
S35	2	"20020143943"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 15:06
S36	4	("6865576" "7340447" "6085188" "6356892"). pn.	USPAT	OR	OFF	2010/03/11 14:50
S37	3	S36 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:53
S38	827	(ldap mapping sql relational database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/11 14:57
S39	110	(ldap mapping sql ((relational adj1 database) rdbms dbms))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/11 14:57

S40	38	S39 and (mapping near relational)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:58
S41	0	S40 and (multi\$1value \$3 near attribute\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 14:58
S42	132	(partition\$4 near expression)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:35
S43	30	S42 and ((relational adj1 database) RDBMS DBMS)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:35
S44	4	S43 and LDAP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:35
S45	0	S44 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:35
S46	11	S43 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:35
S47	7	S46 and (filter\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:35
S48	7	S47 and (first primary secondary second)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:36
S49	0	S47 and ((first primary secondary second) near filter\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:36

S50	17163	(707/756 707/790 707/791 707/802 707/803 707/809 709/201 709/202 709/203).ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/11 15:49
S51	55	S50 and (ldap mapping sql relational database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/03/11 15:50
S52	10	S51 and (mapping near relational)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:50
S53	9	S52 and (@rlad < "20031009" or @ad < "20031009")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/11 15:50
S54	2	"5694598".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/12 15:58
S55	2	"5596746".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/12 16:03

### EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	123118	("707" "709" "704" "705").clas.	USPAT; UPAD	OR	OFF	2010/10/19 23:57
L3	449	2 and (translat\$4 near3 (data adj1 format))	USPAT; UPAD	OR	ON	2010/10/19 23:57
L4	3	3 and ((translat\$4 near3 (data adj1 format)) and (mapping near2 schema))	USPAT; UPAD	OR	ON	2010/10/19 23:57
L5	2	4 and (@rlad < "20031009" or @ad < "20031009")	USPAT; UPAD	OR	ON	2010/10/19 23:58
L6	0	5 and (multi\$1valu\$3)	USPAT; UPAD	OR	ON	2010/10/19 23:58

L7	267	2 and (ldap mapping sql relational database)	USPAT; UPAD	AND	ON	2010/10/19 23:58
L8	42	7 and (mapping near relational)	USPAT; UPAD	OR	ON	2010/10/19 23:59
L9	1	8 and ((first primary secondary second) near filter\$1)	USPAT; UPAD	OR	ON	2010/10/19 23:59
L10	1	9 and (@rlad < "20031009" or @ad < "20031009")	USPAT; UPAD	OR	ON	2010/10/19 23:59

**10/ 20/ 2010 12:00:03 AM**

**C:\ Documents and Settings\ fsyed\ My Documents\ EAST\ Workspaces\ Docket10682252.wsp**